EXHIBIT T

EXHIBIT 16

Case 2:23-cv-01049-JWH-KES Document 115-21 Filed 11/13/23 Page 3 of 33 Page ID #:2660

Entropic Communications, LLC v. Comcast Corp., et al. Case 2:23-cv-01050-JWH-KES (C.D. Cal.)

U.S. Patent No. 11,399,206 (the "'206 Patent") Exemplary Infringement Chart

Comcast operates and maintains a nationwide television and data network through which it sells, leases, and offers for sale products and services, including the Technicolor TC8717 cable modem, Technicolor CGM4140 cable modem, Technicolor CGM4331 cable modem, and products that operate in a similar manner ("Accused Cable Modem Products"), as well as the Arris AX013ANC STB, Arris AX013ANM STB, Arris AX014ANC STB, Arris AX014ANM STB, Arris MX011ANC STB, Arris MX011ANM STB, Pace PX013ANC STB, Pace PX013ANM STB, Pace PX022ANC STB, Pace PX022ANM STB, Samsung SX022ANC STB, Samsung SX022ANM STB, and products that operate in a similar manner ("Accused Set Top Products"). Comcast provides cable television and internet services ("Accused Services") via the lease, sale, and/or distribution of the Accused Cable Modem Products and/or the Accused Set Top Products. Comcast literally and/or under the doctrine of equivalents infringes the claims of the '206 Patent by making, using, selling, offering for sale, and/or importing the Accused Services, Accused Cable Modem Products, and/or the Accused Set Top Products.

As shown below in the chart with exemplary support, the Accused Services infringe at least claims 13, 14, 19, 21, 23, 25, 26, 31, 34, 35, 38, 39, 44, 47, and 48 of U.S. Patent No. 11,399,206 ("206 Patent"). The '206 Patent was filed January 28, 2022, issued July 26, 2022, and is entitled "Method for Receiving a Television Signal." The '206 Patent claims priority to U.S. Patent Application Serial No. 17/217,244, filed on Mar. 30, 2021; U.S. Patent Application Serial No. 16/430,506, filed on Jun. 4, 2019; U.S. Patent Application Serial No. 15/792,318, filed Oct. 24, 2017; U.S. Patent Application Serial No. 14/948,881, filed Nov. 23, 2015, U.S. Patent Application Serial No. 14/617,973, filed on Feb. 10, 2015; U.S. Patent Application Serial No. 13/962,871, filed on August 8, 2013; U.S. Patent Application Serial No. 12/762,900, filed on April 19, 2010; and U.S. Provisional Patent Application No. 61/170,526, filed April 17, 2009.

The Accused Services perform the claimed methods using, for example, the Accused Set Top Products and/or the Accused Cable Modem Products. The Accused Services infringe the claims of the '206 Patent, as described below, either directly under 35 U.S.C. § 271(a), or indirectly under 35 U.S.C. §§ 271(b)–(c).

Case 2:23-cv-01049-JWH-KES Document 115-21 Filed 11/13/23 Page 4 of 33 Page ID #:2661

#	U.S. Patent No. 11,399,206	Accused Products and Services	
13pre	13. A method comprising:	The Accused Services are provided by the claimed system by utilizing, for example, the Ac-	
		cused Set Top Products, which include at least one set top box ("STB") located at each sub-	
		scriber location, including, for example, the Arris AX013ANC STB, Arris AX013ANM STB,	
		Arris AX014ANC STB, Arris AX014ANM STB, Arris MX011ANC STB, Arris MX011ANM	
		STB, Pace PX013ANC STB, Pace PX013ANM STB, Pace PX022ANC STB, Pace PX022ANM	
		STB, Samsung SX022ANC STB, Samsung SX022ANM STB, and products that operate in a	
		similar manner, and/or the Accused Cable Modem Products including, for example, the Tech-	
		nicolor TC8717 cable modem, Technicolor CGM4140 cable modem, Technicolor CGM4331	
		cable modem, and products that operate in a similar manner, located at each subscriber location.	
		By way of example, the Technicolor CGM4140 cable modem is charted herein. As described below, the Technicolor CGM4140 has a Broadcom BCM3390 SoC. On informed belief, all cable modems deployed by or enabled by Comcast that contain the BCM3383, BCM3384, and BCM33843 series chips operate substantially the same as the BCM3390 series chips for purposes of the '206 Patent. As there are no functional differences between the BCM33843 SoC and BCM3390 SoC that impacts infringement of the '206 Patent, documents describing the operation of the BCM33843 SoC equally describe the operation of the BCM3390 SoC. Therefore, the Technicolor CGM4140 is representative of all Accused Set Top Products and Accused Cable Modem Products, including those having BCM3383, BCM3384, BCM33843, or BCM3390 SoCs.	
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.	
13a	receiving an input signal from a ca-	The Accused Set Top Products and the Accused Cable Modem Products receive an input signal	
	ble network;	from a cable network as described below.	

#	U.S. Patent No. 11,399,206	Accused Products and Services	
		Specifically, the Technicolor CGM4140 has applicable circuitry and/or software modules	
		constituting wideband ADC, see 13b below. For example, the Technicolor CGM4140 has a	
		Broadcom BCM3390 SoC, highlighted in red below. The Technicolor CGM4140 has at least	
		one RF connector, highlighted in blue, operable to receive an input signal from a cable network.	
		one RF connector, highlighted in blue, operable to receive an input signal from a cable network.	

#	U.S. Patent No. 11,399,206	Accused Products and Services	
		Discovery will provide detailed information regarding implementation and identification of the	
		specific components, source code, software and/or other instrumentalities used to implement	
		the claimed method. As additional information is obtained through discovery related to the	
		Accused Services and related instrumentalities, Entropic will supplement these contentions.	
13b	digitizing all received channels in	The Accused Set Top Products and the Accused Cable Modem Products digitize said received	
	the input signal via a wideband an-	signal to generate a digitized signal.	
	alog-to-digital converter (ADC),		
	wherein the received channels	The Technicolor CGM4140 includes applicable circuitry and/or software modules providing a	
	comprise a plurality of desired	wideband ADC, for example a Broadcom BCM3390 SoC. The Technicolor CGM4140 receives	
	channels and a plurality of unde-	the entire ~1GHz downstream spectrum of a Comcast cable plant. The entire downstream spec-	
	sired channels;	trum includes received channels, including desired and undesired channels. The Technicolor	
		CGM4140, using its applicable circuity and/or software modules, digitizes the received signal	
		to generate a digitized signal.	
		"The new BCM3384 DOCSIS®/Euro-DOCSIS™ 3.0 cable gateway SoC combines Broadcom's	
		Full-Band Capture (FBC) digital tuning technology with remote diagnostics, dual-band	
		concurrent Wi-Fi, a custom, dedicated applications processor and integrated DECT 6.0 CAT-iq	
		2.0 Broadcom's new BCM33843 is pin compatible Broadcom is now sampling [as of Jan	
		08, 2031] the BCM3384 and BCM33843"	
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002036)	
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip	
		technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable	
		plant, providing access to any channel anywhere. Remote diagnostics provides real time,	
		unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any	
		of the 24 downstream channels."	
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)	

	Accused Products and Services	
	Discovery will provide detailed information regarding implementation and identification of the	
	specific components, source code, software and/or other instrumentalities used to implement	
	the claimed method. As additional information is obtained through discovery related to the	
	Accused Services and related instrumentalities, Entropic will supplement these contentions.	
own converting each de-	The Accused Set Top Products and the Accused Cable Modem Products digitally down convert	
nel, of the plurality of	each desired channel, of the plurality of desired channels, to generate a plurality of digital chan-	
annels, to generate a plu-	nel outputs as described below.	
digital channel outputs;		
	Specifically, the Technicolor CGM4140 includes has applicable circuitry and/or software mod-	
	ules constituting a mixer module operating on the digitized signal. For example, the applicable	
	circuitry and/or software modules of the Technicolor CGM4140 utilize advanced signal pro-	
	cessing techniques, including a mixer, which can be used to digitally downconvert the plurality	
	of desired channels. For example, the Technicolor CGM4140 receives an analog signal that	
	creates a digital representation of the entire 1GHz downstream spectrum of the input signal. The	
	composite broadband signal contains a plurality of received channels, some of which are desired	
	channels and some of which are undesired channels. The Technicolor CGM4140 tunes the re-	
	sulting series of binary values within the composite digital broadband signal, and shifts (i.e.,	
	downconverts) the frequency of the channels desired to baseband, which constitutes the digital	
	channel outputs. For example, as described below, applicable circuitry and/or software modules	
	of the Broadcom BCM3390 SoC includes a mixer module (highlighted below in red) and a filter	
	(highlighted below in green) used to frequency shift (i.e., downconvert) the digitized channels	
	in the digitized input signal from a higher frequency to a lower frequency (i.e., a baseband fre-	
	quency).	
	nel, of the plurality of annels, to generate a plu-	

#	U.S. Patent No. 11,399,206	Accused 1	Products and Services
		Full-Band Capture Digital Tuner Architecture	
		Analog Domain	Digital Domain
		LNA Part Band Capture	Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at EN	VTROPIC_COMCAST_002031, annotated)
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)	
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.	
13d	providing the plurality of digital	The Accused Set Top Products and Accused Cable Modem Products provide the plurality of	
	channel outputs via a serial interface.	desired channels via a serial interface as	
		modules, outputs the desired channels from	M4140, using its applicable circuity and/or software om a filter to one or more demodulators. On informed ace. For example and on informed belief, the Arris

#	U.S. Patent No. 11,399,206	Accused Products and Services	
		AX013ANM, using applicable circuitry and/or software modules contained in the BCM3390 SoC, outputs the digital datastream from the filter (highlighted below in green) to the demodulators (highlighted below in purple) via a serial interface.	
		Full-Band Capture Digital Tuner Architecture	
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated) Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Ac-	
		cused Services and related instrumentalities, Entropic will supplement these contentions.	
14	14. The method of claim 12	The Acqueed Set Ton Products and Acqueed Cahla Madem Products communicate the insut	
14	14. The method of claim 13, wherein the method comprises: communicating the input signal from a cable network connector to	The Accused Set Top Products and Accused Cable Modem Products communicate the input signal from a cable network connector to the wideband ADC via at least one of an analog amplifier and an analog filter as described below.	
	the wideband ADC via at least one of an analog amplifier and an analog filter.	Specifically, the Technicolor CGM4140 has applicable circuitry and/or software modules constituting at least an analog amplifier. For example, the Technicolor CGM4140, via applicable circuitry and/or software modules of its BCM3390 SoC, has at least an analog amplifier, highlighted in yellow below.	

#	U.S. Patent No. 11,399,206	Accuse	ed Products and Services
		Full-Band Capture Digital Tune	er Architecture
		Analog Domain LNA LNA Analog Domain	Digital Domain Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated) Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.	
19	19. The method of claim 13, wherein the method comprises: demodulating each digitally down converted, desired channel to generate a plurality of demodulated channels.	down converted, desired channel to generate a plurality of demodulated channels as described below.	
	channels.	cable circuitry and/or software modul-	-

#	U.S. Patent No. 11,399,206	Accused Pr	oducts and Services
		Full-Band Capture Digital Tune	er Architecture
		Analog Domain	Digital Domain
		LNA Full-Band Capture	Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENT	ROPIC_COMCAST_002031, annotated)
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)	
		specific components, source code, softwar the claimed method. As additional information	n regarding implementation and identification of the e and/or other instrumentalities used to implement tion is obtained through discovery related to the Acs, Entropic will supplement these contentions.
21	21. The method of claim 13,	For the Accused Set Top Products, the plura	ality of desired channels comprises at least one cable
	wherein: the plurality of desired channels comprises at least one cable broadcast channel.	broadcast channel as described below.	and the control of th

#	U.S. Patent No. 11,399,206	Accused Products and Services
		Specifically, Comcast provides cable television services, including viewing and recording of
		desired television content. The plurality of desired channels includes at least this desired televi-
		sion content, which constitutes at least one cable broadcast channel.
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24
		downstream channels."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limitations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisi-
		tion technology, video channels can be pre-tuned and users can enjoy the experience of Broad-com's FastRTV TM fast channel change technology."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD programming on the hard drive."
		(ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963)
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.
23	23. The method of claim 13,	The Accused Set Top Products are a device comprising a digital video recorder (DVR) that
	wherein: the method is performed	performs the method as described below.

#	U.S. Patent No. 11,399,206	Accused Products and Services	
	by a device comprising a digital video recorder (DVR).	See 25e.	
		"Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD programming on the hard drive."	
		(ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963)	
25pre	25. A method for receiving a television (TV) signal comprising:	The Accused Services perform the claimed method utilizing, for example, the Accused Set Top Products, which include at least one set top box ("STB") located at each subscriber location, including, for example, the Arris AX013ANC STB, Arris AX013ANM STB, Arris AX014ANC STB, Arris AX014ANM STB, Arris MX011ANC STB, Arris MX011ANM STB, Pace PX013ANC STB, Pace PX013ANM STB, Pace PX022ANC STB, Pace PX022ANM STB, Samsung SX022ANC STB, Samsung SX022ANM STB, and products that operate in a similar manner.	
		By way of example, the Arris AX013ANM is charted herein. As described below, the Arris AX013ANM has a Broadcom BCM33843 SoC. On informed belief, the Arris AX013ANM is representative of all Accused Set Top Products, including those having BCM3383, BCM3384, BCM33843, or BCM3390 SoCs.	
25a	receiving an input signal from a cable network;	The Accused Set Top Products receive an input signal from a cable network as described below.	
		Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constituting a wideband ADC. For example, the Arris AX013ANM has a Broadcom BCM33843 SoC, shown in red in the annotated photograph below. The Arris AX013ANM has at least one RF connector, shown in blue in the annotated photograph below, that couples to a cable network owned and/or operated by Comcast. The Arris AX013ANM receives an input signal from the cable network.	

Case 2:23-cv-01049-JWH-KES Document 115-21 Filed 11/13/23 Page 14 of 33 Page ID #:2671

#	U.S. Patent No. 11,399,206	Accused Products and Services
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)

#	U.S. Patent No. 11,399,206	Accused	Products and Services	
		"Bandwidth flexibility: Supports DOCS	IS and digital video on any frequency eliminating lim-	
			ned with Broadcom's set-top box SoC with fast acquisi-	
			pre-tuned and users can enjoy the experience of Broad-	
		com's FastRTV TM fast channel change to		
		(ENTROPIC_COMCAST_002035 at E	, , , , , , , , , , , , , , , , , , ,	
25b	digitizing a contiguous band of fre-	The Accused Set Top Products digitize a contiguous band of frequencies in the input signal via		
	quencies in the input signal via a		(ADC), wherein the contiguous band of frequencies	
	wideband analog-to-digital con-	comprises all received channels that exis	et in the input signal and the received channels comprise	
	verter (ADC), wherein the contig-	a plurality of desired channels and a plu	rality of undesired channels as described below.	
	uous band of frequencies com-			
	prises all received channels that	-	applicable circuitry and/or software modules constitut-	
	exist in the input signal and the re-	_	e Arris AX013ANM, using applicable circuitry and/or	
	ceived channels comprise a plural-		I33843 SoC, provides a wideband ADC, highlighted in	
	ity of desired channels and a plu-		digitizes a contiguous band of frequencies in the input	
	rality of undesired channels;	signal, where the contiguous band constitutes all received channels, which includes desired and		
		undesired channels.		
		Full-Band Capture Digital Tuner Architecture		
		Analog Domain	Digital Domain	
		LNA CONTRACTOR OF THE PARTY OF	Demods xN	
		and the same of th		
		Full-Band Capture		
			All Digital Tuner	
		(ENTROPIC GOLGAGE 002020 FE	AVER ONLY GOALGA GET 002021	
		(ENTROPIC_COMCAST_002029 at E	NTROPIC_COMCAST_002031, annotated)	

Case 2:23-cv-01049-JWH-KES Document 115-21 Filed 11/13/23 Page 16 of 33 Page ID #:2673

#	U.S. Patent No. 11,399,206	Accused Products and Services
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037) "Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limitations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisition technology, video channels can be pre-tuned and users can enjoy the experience of Broadcom's FastRTV TM fast channel change technology." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037) Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Ac-
25c	concurrently selecting each of the plurality of desired channels from the input signal without selecting any of the plurality of undesired channels; and	cused Services and related instrumentalities, Entropic will supplement these contentions. The Accused Set Top Products concurrently select each of the plurality of desired channels from the input signal without selecting any of the plurality of undesired channels as described below. Specifically, the Arris AX013ANM has applicable circuitry and/or software modules configured to concurrently selecting each of the plurality of desired channels from the input signal without selecting any of the plurality of undesired channels. For example, the Arris AX013ANM, using applicable circuitry and/or software modules contained in the BCM33843 SoC, provides full band capture digital tuning of the input signal. On informed belief, full band capture digital tuning includes concurrently selecting each of the plurality of desired channels from the input signal without selecting any of the plurality of undesired channels.

#	U.S. Patent No. 11,399,206	Accused Products and Services
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip tech-
		nology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant,
		providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive
		diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating lim-
		itations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisi-
		tion technology, video channels can be pre-tuned and users can enjoy the experience of Broad-
		com's FastRTV TM fast channel change technology."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		Discovery will provide detailed information regarding implementation and identification of the
		specific components, source code, software and/or other instrumentalities used to implement
		the claimed method. As additional information is obtained through discovery related to the Ac-
		cused Services and related instrumentalities, Entropic will supplement these contentions.
25d	providing the plurality of desired	The Accused Set Top Products provide the plurality of desired channels, as described below.
	channels,	
		Specifically, the Arris AX013ANM has applicable circuitry and/or software modules
		constituting a digital frontend that concurrently selects and provides each of the plurality of
		desired channels without providing any of the plurality of undesired channels. For example, the
		Arris AX013ANM, using applicable circuitry and/or software modules contained in the
		BCM33843 SoC, provides full band capture digital tuning of the input signal. On informed
		belief, full band capture digital tuning includes providing the desired channels. For example,
		The Arris AX013ANM has applicable circuitry and/or software modules operable to process a
		television channel to recover content carried on the plurality of desired channels.

#	U.S. Patent No. 11,399,206	Accused Products and Services
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip
		technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable
		plant, providing access to any channel anywhere. Remote diagnostics provides real time,
		unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any
		of the 24 downstream channels."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Supports DOCSIS and digital video on any frequency eliminating limitations of "block" tuners.
		When combined with Broadcom's set-top box SoC with fast acquisition technology, video
		channels can be pre-tuned and users can enjoy the experience of Broadcom's FastRTV TM fast
		channel change technology."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		Discovery will provide detailed information regarding implementation and identification of the
		specific components, source code, software and/or other instrumentalities used to implement
		the claimed method. As additional information is obtained through discovery related to the
		Accused Services and related instrumentalities, Entropic will supplement these contentions.
25e	wherein the method is performed	The Accused Set Top Products are a device comprising a digital video recorder (DVR) that
	by a device comprising a digital	performs the method as described below.
	video recorder (DVR).	
		Specifically, the Arris AX013ANM constitutes a DVR capable of storing programming on its
		hard drive.
		"Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD
		programming on the hard drive."
		(ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963)

#	U.S. Patent No. 11,399,206	Accused Products and Services
26	26. The method of claim 25, wherein the method comprises: communicating the input signal from a cable network connector to the wideband ADC via at least one of an analog amplifier and an analog filter.	The Accused Set Top Products communicate the input signal from the cable network connector to the wideband ADC via at least one of an analog amplifier and an analog filter as described below. Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constituting at least an analog amplifier. For example, the Arris AX013ANM, via applicable circuitry and/or software modules of its BCM33843 SoC, has at least an analog amplifier, highlighted in yellow below.
		Full-Band Capture Digital Tuner Architecture
		Analog Domain Digital Domain Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated) Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.
31	31. The method of claim 25, wherein the method comprises: demodulating, via each demodulator	The Accused Set Top Products demodulate, via each demodulator of a plurality of demodulators, a desired channel, of the plurality of desired channels as described below.

#	U.S. Patent No. 11,399,206	Accused Products and Services
	of a plurality of demodulators, a	Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constitut-
	desired channel, of the plurality of	ing a plurality of demodulators. For example, the Arris AX013ANM, via applicable circuitry
	desired channels.	and/or software modules of its BCM33843 SoC, has a plurality of demodulators, highlighted in
		purple below. The demodulators are operable to demodulate the desired channels.
		Full-Band Capture Digital Tuner Architecture
		Analog Domain Digital Domain
		LNA Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated)
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037) "Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limitations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisition technology, video channels can be pre-tuned and users can enjoy the experience of Broadcom's FastRTV TM fast channel change technology." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)

#	U.S. Patent No. 11,399,206	Accused Products and Services
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.
34	34. The method of claim 25, wherein the method comprises: providing the plurality of desired channels via a serial interface.	The Accused Set Top Products provide the plurality of desired channels via a serial interface as described below. More specifically, the Arris AX013ANM, using its applicable circuity and/or software modules, outputs the desired channels from a filter to one or more demodulators. On informed belief, the output is via a serial interface. For example and on informed belief, the Arris AX013ANM, using applicable circuitry and/or software modules contained in the BCM33843 SoC, outputs the digital datastream from the filter (highlighted below in green) to the demodulators (highlighted below in purple) via a serial interface. Full-Band Capture Digital Tuner Architecture Analog Domain Digital Domain Demods xN Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement

#	U.S. Patent No. 11,399,206	Accused Products and Services
		the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.
35	35. The method of claim 25, wherein: the plurality of desired channels comprises at least one ca-	The plurality of desired channels comprises at least one cable broadcast channel as described below.
	ble broadcast channel.	Specifically, the Arris AX013ANM provides cable television services, including viewing and recording of desired television content. The plurality of desired channels includes at least this desired television content, which constitutes at least one cable broadcast channel.
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limitations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisition technology, video channels can be pre-tuned and users can enjoy the experience of Broadcom's FastRTV TM fast channel change technology." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD programming on the hard drive." (ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963)

#	U.S. Patent No. 11,399,206	Accused Products and Services
		Discovery will provide detailed information regarding implementation and identification of the
		specific components, source code, software and/or other instrumentalities used to implement
		the claimed method. As additional information is obtained through discovery related to the Ac-
		cused Services and related instrumentalities, Entropic will supplement these contentions.
38pre	38. A method comprising:	The Accused Services perform the claimed method utilizing, for example, the Accused Set Top Products, which include at least one set top box ("STB") located at each subscriber location, including, for example, the Arris AX013ANC STB, Arris AX013ANM STB, Arris AX014ANC STB, Arris AX014ANM STB, Arris MX011ANC STB, Arris MX011ANM STB, Pace PX013ANC STB, Pace PX013ANC STB, Pace PX022ANC STB, Pace PX022ANM STB, Samsung SX022ANC STB, Samsung SX022ANM STB, and products that operate in a similar manner. By way of example, the Arris AX013ANM is charted herein. As described below, the Arris
		AX013ANM has a Broadcom BCM33843 SoC. On informed belief, the Arris AX013ANM is representative of all Accused Set Top Products, including those having BCM3383, BCM3384, BCM33843, or BCM3390 SoCs.
38a	receiving an input signal from a cable network;	The Accused Set Top Products receive an input signal from a cable network as described below. Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constituting a wideband ADC. For example, the Arris AX013ANM has a Broadcom BCM33843 SoC, shown in red in the annotated photograph below. The Arris AX013ANM has at least one RF connector, shown in blue in the annotated photograph below, that couples to a cable network owned and/or operated by Comcast. The Arris AX013ANM receives an input signal from the cable network.

# U.S. Patent No. 11,399,206 Accused Products and Services	
"Full-Band Capture digital tuning technology and remote diagnostics: Integrated or nology directly samples and digitizes the entire 1GHz downstream spectrum of a providing access to any channel anywhere. Remote diagnostics provides real time, diagnostic and spectrum analysis capabilities, without effecting user service on an downstream channels." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)	cable plant, unobtrusive

Case 2:23-cv-01049-JWH-KES Document 115-21 Filed 11/13/23 Page 25 of 33 Page ID #:2682

		"Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating lim-
		itations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisi-
		tion technology, video channels can be pre-tuned and users can enjoy the experience of Broad-
		com's FastRTV™ fast channel change technology."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
38b	digitizing all received channels in	The Accused Set Top Products digitize all received channels in the input signal via a wideband
	the input signal via a wideband an-	analog-to-digital converter (ADC), wherein the received channels comprise a plurality of de-
	alog-to-digital converter (ADC),	sired channels and a plurality of undesired channels as described below.
	wherein the received channels	
	comprise a plurality of desired	Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constitut-
	channels and a plurality of unde-	ing a wideband ADC. For example, the Arris AX013ANM, using applicable circuitry and/or
	sired channels; and	software modules contained in the BCM33843 SoC, provides a wideband ADC, highlighted in
		orange below. The Arris AX013ANM digitizes all received channels, which includes desired
		and undesired channels.
		Full-Band Capture Digital Tuner Architecture
		Analog Domain Digital Domain
		• LNA BELLEND Demods
		XN XN
		Full-Band Capture
		All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated)

#	U.S. Patent No. 11,399,206	Accused Products and Services
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip tech-
		nology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant,
		providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive
		diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24
		downstream channels."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating lim-
		itations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisi-
		tion technology, video channels can be pre-tuned and users can enjoy the experience of Broad-
		com's FastRTV TM fast channel change technology."
		(ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		Discovery will provide detailed information regarding implementation and identification of the
		specific components, source code, software and/or other instrumentalities used to implement
		the claimed method. As additional information is obtained through discovery related to the Ac-
		cused Services and related instrumentalities, Entropic will supplement these contentions.
38c	digitally down converting each de-	The Accused Set Top Products digitally down convert each desired channel, of the plurality of
	sired channel, of the plurality of	desired channels, to generate a plurality of digital channel outputs as described below.
	desired channels, to generate a plu-	
	rality of digital channel outputs,	Specifically, the Arris AX013ANM includes has applicable circuitry and/or software modules
		constituting a mixer module operating on the digitized signal. For example, the applicable cir-
		cuitry and/or software modules of the Arris AX013ANM utilize advanced signal processing
		techniques, including a mixer, which can be used to digitally downconvert the plurality of de-
		sired television channels. For example, the Arris AX013ANM receives an analog signal that
		includes a plurality of television channels and creates a digital representation of the entire 1GHz
		downstream spectrum of the analog signal. The composite broadband signal contains a plurality
		of digital QAM channels, some of which are desired channels and some of which are undesired

#	U.S. Patent No. 11,399,206	Accused Products and Services
		channels. The Arris AX013ANM tunes the resulting series of binary values within the compo-
		site digital broadband signal, and shifts (i.e., downconverts) the frequency of the QAM channel
		desired to baseband, which constitutes the digital channel outputs. For example, as described
		below, applicable circuitry and/or software modules of the Broadcom BCM33843 SoC includes
		a mixer module (highlighted below in red) and a filter (highlighted below in green) used to
		frequency shift (i.e., downconvert) the digitized QAM channels in the composite broadband
		signal from a higher frequency to a lower frequency (i.e., a baseband frequency).
		Full-Band Capture Digital Tuner Architecture
		Analog Domain Digital Domain
		LNA Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated)
		"The new BCM3384 DOCSIS®/Euro-DOCSIS™ 3.0 cable gateway SoC combines Broadcom's Full-Band Capture (FBC) digital tuning technology with remote diagnostics, dual-band concurrent Wi-Fi, a custom, dedicated applications processor and integrated DECT 6.0 CAT-iq 2.0 Broadcom's new BCM33843 is pin compatible Broadcom is now sampling [as of Jan 08, 2013] the BCM3384 and BCM33843" (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002036)
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable

#	U.S. Patent No. 11,399,206	Accused Products and Services
		plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.
38d	wherein the method is performed by a device comprising a digital video recorder (DVR).	The Accused Set Top Products are a device comprising a digital video recorder (DVR) that performs the method as described below. Specifically, the Arris AX013ANM constitutes a DVR capable of storing programming on its
		hard drive. "Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD programming on the hard drive." (ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963)
39	39. The method of claim 38, wherein the method comprises: communicating the input signal from a cable network connector to	The Accused Set Top Products communicate the input signal from the cable network connector to the wideband ADC via at least one of an analog amplifier and an analog filter as described below.
	the wideband ADC via at least one of an analog amplifier and an analog filter.	Specifically, the Arris AX013ANM has applicable circuitry and/or software modules constituting at least an analog amplifier. For example, the Arris AX013ANM, via applicable circuitry and/or software modules of its BCM33843 SoC, has at least an analog amplifier, highlighted in yellow below. On informed belief, the analog amplifier used to communicate the input signal from the cable network connector to the wideband ADC.

#	U.S. Patent No. 11,399,206	Accuse	ed Products and Services
		Full-Band Capture Digital Tuner Architecture	
		· _	Demods xN ENTROPIC_COMCAST_002031, annotated) nation regarding implementation and identification of the
		the claimed method. As additional info	ftware and/or other instrumentalities used to implement ormation is obtained through discovery related to the Acalities, Entropic will supplement these contentions.
44	44. The method of claim 38, wherein the method comprises: demodulating each digitally down converted, desired channel to generate a plurality of demodulated channels.	generate a plurality of demodulated che Specifically, the Arris AX013ANM hat ing a plurality of demodulators. For eand/or software modules of its BCM33	dulate each digitally down converted, desired channel to nannels described below. as applicable circuitry and/or software modules constitutexample, the Arris AX013ANM, via applicable circuitry 3843 SoC, has a plurality of demodulators, highlighted in modulate the desired channels to generate demodulated

#	U.S. Patent No. 11,399,206	Accused Pr	oducts and Services
		Full-Band Capture Digital Tune	er Architecture
		Analog Domain	Digital Domain
		LNA Full Band Capture	Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENT	ROPIC_COMCAST_002031, annotated)
		nology directly samples and digitizes the exproviding access to any channel anywhere.	egy and remote diagnostics: Integrated on-chip techentire 1GHz downstream spectrum of a cable plant, Remote diagnostics provides real time, unobtrusive ies, without effecting user service on any of the 24 PROPIC_COMCAST_002037)
		itations of "block" tuners. When combined	<i>C</i> ;
		* *	n regarding implementation and identification of the re and/or other instrumentalities used to implement

#	U.S. Patent No. 11,399,206	Accused Products and Services
		the claimed method. As additional information is obtained through discovery related to the Ac-
		cused Services and related instrumentalities, Entropic will supplement these contentions.
47	47. The method of claim 38, wherein the method comprises: providing the plurality of digital channel outputs via a serial interface.	The Accused Set Top Products provide the plurality of digital channel outputs via a serial interface as described below. More specifically, the Arris AX013ANM, using its applicable circuity and/or software modules, outputs the digital datastream from a filter to one or more demodulators. On informed belief, the digital datastream is output via a serial interface. For example and on informed belief, the Arris AX013ANM, using applicable circuitry and/or software modules contained in the BCM33843 SoC, outputs the digital datastream from the filter (highlighted below in green) to the demodulators (highlighted below in purple) via a serial interface.
		Full-Band Capture Digital Tuner Architecture
		Analog Domain Digital Domain Demods xN All Digital Tuner
		(ENTROPIC_COMCAST_002029 at ENTROPIC_COMCAST_002031, annotated)
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement the claimed method. As additional information is obtained through discovery related to the Accused Services and related instrumentalities, Entropic will supplement these contentions.

#	U.S. Patent No. 11,399,206	Accused Products and Services
48	48. The method of claim 38, wherein: the plurality of desired channels comprises at least one ca-	The plurality of desired channels comprises at least one cable broadcast channel as described below.
	ble broadcast channel.	Specifically, the Arris AX013ANM provides cable television services, including viewing and recording of desired television content. The plurality of desired channels includes at least this desired television content, which constitutes at least one cable broadcast channel.
		"Full-Band Capture digital tuning technology and remote diagnostics: Integrated on-chip technology directly samples and digitizes the entire 1GHz downstream spectrum of a cable plant, providing access to any channel anywhere. Remote diagnostics provides real time, unobtrusive diagnostic and spectrum analysis capabilities, without effecting user service on any of the 24 downstream channels." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Bandwidth flexibility: Supports DOCSIS and digital video on any frequency eliminating limitations of "block" tuners. When combined with Broadcom's set-top box SoC with fast acquisition technology, video channels can be pre-tuned and users can enjoy the experience of Broadcom's FastRTV TM fast channel change technology." (ENTROPIC_COMCAST_002035 at ENTROPIC_COMCAST_002037)
		"Storage Capacity: Currently, your X1 DVR can record approximately 150 total hours of HD programming on the hard drive." (ENTROPIC_COMCAST_002961 at ENTROPIC_COMCAST_002963)
		Discovery will provide detailed information regarding implementation and identification of the specific components, source code, software and/or other instrumentalities used to implement

#	U.S. Patent No. 11,399,206	Accused Products and Services
		the claimed method. As additional information is obtained through discovery related to the Ac-
		cused Services and related instrumentalities, Entropic will supplement these contentions.